

the most experience –
the widest range.



08/2021

PRICE LIST



50

for over 50 years

With energy and good ideas for success



20

for over 20 years

We prepare riding surfaces for winners



Platz-Max

We prepare riding surfaces for winners

For permanent care for all riding surfaces: loosen, mix and smooth in one quick operation with the RS-Platz Max® arena leveller. Meanwhile the Platz-Max® has become an established name in the equestrian scene, it is based at all major tournaments and other equestrian sports events.

Die Platz-Max® Family Overview:

Platz-Max® Basic

Platz-Max® Standard
 Platz-Max® NL-K
 Platz-Max® NL-GW
 Platz-Max® NL-GW Plus
 Platz-Max® NL-GW SM
 Platz-Max® NL-GW SM Plus
 Platz-Max® NL-FF
 Platz-Max® Multi
 Platz-Max® MAXI

Platz-Max® SPECIAL

Platz-Max® Roll K / GW / FF
 Platz-Max® Roll GW-SM
 Platz-Max® Rain K / GW
 Platz-Max® Turf
 Platz-Max® Giga 2000
 Platz-Max® TYMY
 paddock float
 Platz-Max® accessories



Platz-Max

For all riding surfaces



Platz-Max® Multi

Platz-Max® – established and awarded!

In 1997 the Platz-Max® was presented for the first time. Since then more than 8000 units have been sold. In 2013 the Platz-Max® „Multi“ received the innovation prize at the well-known equestrian fair „Equitana“.

Platz-Max® – for all riding surfaces

Over the years, the Platz-Max® has met the extended requirements of the equestrian market and is now compatible with the Basic and Special models are ideally positioned for all riding surfaces. Due to the favourable feedback from our customers we have been able to improve and promote the product further.

Why is the Platz-Max® so popular in the horse scene?

The Platz-Max® is designed in such a way that it can be used on almost all riding surfaces for both Indoor and outdoor riding arenas. Specially developed harrow tines are available for use, Smoothing bars, flex forming rolls, levelling bars, mesh rolls, Flex signs with serrated ledge as well as hoof impact scrapers and Tape rolls.

In the Platz-Max® „Special“ area, the care of the riding surface is once again with some time-saving and effective features. You can, for example, use the space-saving Max® „Rain“ and „Giga“ riding surfaces and at the same time to Sprinkle water into the surface. With the Platz-Max® „Turf“ a model was developed, especially for racecourses or training racecourses, where a fast web smoothing is needed.



Platz-Max® Rain



Platz-Max® NL-GW




Platz-Max® NL-FF


Platz-Max® product finder

The product finder offers you a quick overview of the working widths of the most popular Platz-Max® models. Detailed information and prices can be found on the following pages.


Modell	1,35 m	1,60 m	1,80 m	2,00 m	2,20 m	2,40 m	2,50 m	2,70 m	2,80 m	weights kg
Platz-Max® NLK	✓									193
		✓								220
					✓					286
								✓		349
Platz-Max® NL-GW / NL-GW SM	✓									210
		✓								240
			✓							270
					✓					308
							✓			350
Platz-Max® NL-GW Plus						✓				330
									✓	380
Platz-Max® NL-FF	✓									265
		✓								300
			✓							335
					✓					390
Platz-Max® Roll K	✓									220
		✓								240
					✓					280
Platz-Max® Roll GW / GW-SM	✓									210
		✓								240
			✓							250
					✓					300
Platz-Max® Roll FF	✓									265
		✓								295
			✓							315
					✓					385
Platz-Max® MAXI			✓							490
					✓					520
							✓			570
Platz-Max® Rain K (400 L)		✓								333
Platz-Max® Rain K (600 L)					✓					428
Platz-Max® Rain K (1.000 L)								✓		523
Platz-Max® Rain GW (400 L)	✓									350
		✓								380
Platz-Max® Rain GW (500 L)					✓					410
Platz-Max® Rain GW (600 L)							✓			470
Platz-Max® Rain GW (1.000 L)								✓		540
Platz-Max® Multi				✓						520
Platz-Max® Multi							✓			582

product	width	net price
Platz-Max®- Standard with tilling roller Ø 280 mm <ul style="list-style-type: none"> · big track-clearer · big cushion wheel, telescopic · coupling triangle 	1,35 m 1,60 m 2,20 m 2,70 m	2.300,00 € 2.550,00 € 3.000,00 € 3.450,00 €
reduced price <ul style="list-style-type: none"> · without track clearer · without counterweight 		270,00 €
additional charge <ul style="list-style-type: none"> · track-clearer on left with cushion wheel 		370,00 €
Platz-Max®- NL-K with tilling roller Ø 280 mm <ul style="list-style-type: none"> · big track-clearer · big cushion-wheel, telesc. · swivel and trailing mechanism 	1,35 m 1,60 m 2,20 m 2,70 m	2.850,00 € 3.100,00 € 3.450,00 € 3.900,00 €
reduced price <ul style="list-style-type: none"> · without track clearer · without counterweight 		270,00 €
additional charge <ul style="list-style-type: none"> · track-clearer on left with cushion wheel 		370,00 €
 freight charges	1,35 - 1,80 m 2,20 m 2,70 m	by request by request by request




product	width	net price
<p>Platz-Max®-NL-GW with lattice roller Ø 345 mm</p> <ul style="list-style-type: none"> · big track-clearer · big cushion-wheel, telesc. · swivel and trailing mechanism 	<p>1,35 m</p> <p>1,60 m</p> <p>1,80 m</p> <p>2,20 m</p> <p>2,50 m</p> <p>2,70 m</p>	<p>3.650,00 €</p> <p>3.850,00 €</p> <p>3.420,00 €</p> <p>4.750,00 €</p> <p>5.300,00 €</p> <p>5.550,00 €</p>
<p>reduced price</p> <ul style="list-style-type: none"> · without track clearer · without counterweight 		270,00 €
<p>additional charge</p> <ul style="list-style-type: none"> · track-clearer on left with cushion wheel 		370,00 €
<p>Platz-Max®-NL-GW Plus with divided lattice roller Ø 345 mm</p> <ul style="list-style-type: none"> · big track-clearer · big cushion-wheel, telesc. · swivel and trailing mechanism · divided roller 	<p>2,40 m</p> <p>2,80 m</p>	<p>5.450,00 €</p> <p>5.900,00 €</p>
<p>reduced price</p> <ul style="list-style-type: none"> · without track clearer · without counterweight 		270,00 €
<p>additional charge</p> <ul style="list-style-type: none"> · track-clearer on left with cushion wheel 		370,00 €
<p> freight charges</p>	<p>1,35 - 1,80 m</p> <p>2,20 m</p> <p>2,40 - 2,80 m</p>	<p>by request</p> <p>by request</p> <p>by request</p>




product	width	net price
<p>Platz-Max®-NL-GW SM</p> <p>with lattice roller Ø 345 mm</p> <ul style="list-style-type: none"> · big track-cleaver on right · big cushion wheel, telesc. · hinged trailing mechanism · pusher blade · two rows adjustable tines <p>reduced price</p> <ul style="list-style-type: none"> · without track cleaver · without counterweight 	<p>1,35 m</p> <p>1,60 m</p> <p>1,80 m</p> <p>2,20 m</p> <p>2,50 m</p>	<p>4.200,00 €</p> <p>4.400,00 €</p> <p>4.500,00 €</p> <p>5.150,00 €</p> <p>5.700,00 €</p> <p>270,00 €</p>
<p>Platz-Max®-NL-GW SM Plus</p> <p>with lattice roller Ø 345 mm</p> <ul style="list-style-type: none"> · big track-cleaver on right · big cushion wheel, telesc. · hinged trailing mechanism · pusher blade · two rows adjustable tines <p>reduced price</p> <ul style="list-style-type: none"> · without track cleaver · without counterweight 	<p>2,40 m</p> <p>2,80 m</p>	<p>5.850,00 €</p> <p>6.250,00 €</p> <p>270,00 €</p>
<p>Platz-Max®-NL-FF</p> <p>with farmflex roller Ø 310 mm</p> <ul style="list-style-type: none"> · big track-cleaver on right · big cushion wheel, telesc. · hinged trailing mechanism · pusher blade · two rows adjustable tines <p>reduced price</p> <ul style="list-style-type: none"> · without track cleaver · without counterweight 	<p>1,35 m</p> <p>1,60 m</p> <p>1,80 m</p> <p>2,20 m</p> <p>2,50 m</p>	<p>4.350,00 €</p> <p>4.750,00 €</p> <p>4.950,00 €</p> <p>5.450,00 €</p> <p>5.900,00 €</p> <p>270,00 €</p>
 <p>freight charges</p>	<p>1,35 - 1,80 m</p> <p>2,20 m</p> <p>2,40 - 2,80 m</p>	<p>by request</p> <p>by request</p> <p>by request</p>



product	width	net price
<p>Platz-Max®- Multi</p> <ul style="list-style-type: none"> · combined tracking system (NL) · two-way hydraulic adjustment of Compactor blade and farmflex roller (FF) · cushion wheels on both side · track clearer double-sided <p>double-action hydraulic connection is necessary!!</p> <p>additional charge</p> <ul style="list-style-type: none"> · hydraulic tines comb · hydraulic tines comb · turf brush · turf brush 	<p>2,00 m</p> <p>2,50 m</p>	<p>6.200,00 €</p> <p>6.950,00 €</p>
 <p>freight charges</p>	<p>2,00 m</p> <p>2,50 m</p>	<p>1.050,00 €</p> <p>1.100,00 €</p> <p>750,00 €</p> <p>850,00 €</p>
<p>special color or galvanized frame of arena leveller</p>		<p>by request</p> <p>by request</p> <p>180,00 €</p>



product	width	net price
Platz-Max®- MAXI with lattice roller Ø 430 mm <ul style="list-style-type: none"> · hydraulic operation of the hoeing coulter row · levelling bar, adjustable · Treatment of the soil up to the hoof · two large hoofbeat cleaners · 2 foldable track-clearer · 2 adjustable wheels to protect the kickboard · two belt rollers, adjustable · 430er lattice roller · Trailing device · 2 rows of harrow tines, adjustable 	1,80 m 2,20 m 2,50 m	7.900,00 € 8.300,00 € 8.800,00 €
 freight charges		by request



product	width	net price
<p>Platz-Max®- Roll K with tilling roller Ø 280 mm with hydraulic chassis</p> <ul style="list-style-type: none"> · big track-clearer · big cushion wheel, telescopi <p>hydraulic connection necessary!</p> <p>as a co-delivery</p> <ul style="list-style-type: none"> · Hydraulic adjustment of the chassis via hand pump · manual lifting for small tractors, cars, quads etc. 	<p>1,35 m</p> <p>1,60 m</p> <p>2,20 m</p>	<p>3.150,00 €</p> <p>3.400,00 €</p> <p>4.000,00 €</p> <p>200,00 €</p>
<p>Platz-Max®- Roll GW with lattice roller Ø 345 mm and hydraulic chassis (higher lift)</p> <ul style="list-style-type: none"> · big track-clearer · big cushion wheel, telescopic <p>hydraulic connection necessary!</p> <p>as a co-delivery</p> <ul style="list-style-type: none"> · hydraulic adjustment of the chassis via hand pump · manual lifting for small tractors, cars, quads etc. 	<p>1,35 m</p> <p>1,60 m</p> <p>1,80 m</p> <p>2,20 m</p>	<p>4.000,00 €</p> <p>4.200,00 €</p> <p>4.550,00 €</p> <p>5.250,00 €</p> <p>200,00 €</p>
<p>reduced price</p> <ul style="list-style-type: none"> · without track clearer · without counterweight <p>additional charge</p> <ul style="list-style-type: none"> · track-clearer on left with cushion wheel 		<p>270,00 €</p> <p>370,00 €</p>
<p></p> <p>freight charges</p>	<p>1,35 - 1,80 m</p> <p>2,20 m</p>	<p>by request</p> <p>by request</p>








product	width	net price
<p>Platz-Max®- Roll GW-SM with lattice roller Ø 345 mm and hydraulic chassis (higher lift)</p> <ul style="list-style-type: none"> · big track-clearer · big cushion wheel, telescopic · pusher blade · two rows adjustable tines <p>hydraulic connection necessary!</p> <p>as a co-delivery</p> <ul style="list-style-type: none"> · hydraulic adjustment of the chassis via hand pump · manual lifting for small tractors, cars, quads etc. 	<p>1,35 m</p> <p>1,60 m</p> <p>1,80 m</p> <p>2,20 m</p>	<p>4.700,00 €</p> <p>5.100,00 €</p> <p>5.250,00 €</p> <p>5.700,00 €</p> <p>200,00 €</p> 
<p>Platz-Max®- Roll FF with farmflex roller Ø 310 mm and hydraulic chassis (higher lift)</p> <ul style="list-style-type: none"> · big track-clearer · big cushion wheel, telescopic · pusher blade · two rows adjustable tines <p>hydraulic connection necessary!</p> <p>as a co-delivery</p> <ul style="list-style-type: none"> · hydraulic adjustment of the chassis via hand pump · manual lifting for small tractors, cars, quads etc. 	<p>1,35 m</p> <p>1,60 m</p> <p>1,80 m</p> <p>2,20 m</p>	<p>4.950,00 €</p> <p>5.300,00 €</p> <p>5.750,00 €</p> <p>6.150,00 €</p> <p>200,00 €</p> 
<p>reduced price</p> <ul style="list-style-type: none"> · without track clearer · without counterweight 		<p>270,00 €</p>
<p></p> <p>freight charges</p>	<p>1,35 - 1,80 m</p> <p>2,20 m</p>	<p>by request</p> <p>by request</p>


product	width	net price
Platz-Max®- Rain-K		
with tilling roller Ø 280 mm		
· with PTO pump	400 L 1,60 m	6.800,00 €
· with galvanized frame	400 L 2,20 m	7.400,00 €
around the tank	500 L 2,20 m	7.700,00 €
· nozzle line VA	600 L 2,20 m	7.850,00 €
· big sushion wheel, telescopic	600 L 2,70 m	8.600,00 €
· big track clearer	800 L 2,70 m	8.950,00 €
	1.000 L 2,70 m	9.200,00 €
Platz-Max®- Rain-GW		
with lattice roller Ø 345 mm		
· with PTO pump	400 L 1,60 m	7.700,00 €
· with galvanized frame	400 L 1,80 m	8.050,00 €
around the tank	400 L 2,20 m	8.500,00 €
· nozzle line VA	500 L 2,20 m	8.800,00 €
· big sushion wheel, telescopic	600 L 2,20 m	9.000,00 €
· big track clearer	600 L 2,50 m	9.600,00 €
	800 L 2,50 m	10.100,00 €
	1.000 L 2,50 m	10.500,00 €
	800 L 2,70 m	10.600,00 €
	1.000 L 2,70 m	10.950,00 €
reduced price		
· without track clearer		270,00 €
· without counterweight		
additional charge:		
· track-clearer on left with cushion wheel		370,00 €
· for divided roller	2,40 - 2,80 m	850,00 €
		
freight charges	1,60 - 2,20 m	by request
	2,40 - 2,80 m	by request



product	width	net price
Platz-Max®- Turf with 13 mm tines instead of 10 mm with tilling roller Ø 280 mm		
· coupling triangle	2,20 m	3.050,00 €
· without track clearer	2,70 m	3.400,00 €
· without cushion wheel	3,20 m	4.400,00 €
with rugged mounting fram for mounting 2x Platz-Max 2,20 m complete		
	4,50 m	9.150,00 €
2x Platz-Max 2,70 m complete	5,50 m	9.850,00 €
hydraulically folding		
	5,00 m	18.000,00 €
	5,50 m	19.000,00 €
track-clearer XXL		
		590,00 €
additional charge hardox roller to increase the endurance!		
	2,20- 2,70 m	730,00 €
	4,50- 5,50 m	1.400,00 €
		
freight charges	bis 1,60 m	by request
	2,20 m	by request
	2,70 m	by request
	3,20- 5,50 m	by request








 Different conditions are valid here!

product	volume	net price
Platz-Max®- Giga 2000		
· special steering mechanism	1.000 L	12.900,00 €
· rear hydraulik	1.500 L	14.200,00 €
· two hydraulik levelling units	2.000 L	15.400,00 €
· with water levell indicator		
· pump capacity: 138 l/min - 10 bar		
plus arena leveller		
		
freight charges		by request




Version: 08-2021 Prices without tax | Reservation of technical modification.

 Different conditions are valid here!

product	width	net price
Platz-Max®- TYMY		
Tym-Traktor T 194 + Platz-Max® ROII K with tilling roller Ø 280 mm		
<ul style="list-style-type: none"> · all-wheel drive tractor · 14,2 kW, 19 hp at 3.000 rpm · 993 cm³ · Hydrostatic transmission · Roll bar · Power steering · Cruise control · PTO shaft · 650 kg 	1,35 m 1,60 m	14.200,00 € 14.400,00 €
		
Tym-Traktor T 194 + Platz-Max® ROII GW with grid roller Ø 345 mm		
	1,35 m 1,60 m 1,80 m	15.000,00 € 15.200,00 € 15.550,00 €
		
Tym-Traktor T 194 + Platz-Max® ROII GW SM with grid roller Ø 345 mm		
	1,35 m 1,60 m 1,80 m	15.650,00 € 16.050,00 € 16.100,00 €
		
Tym-Traktor T 194 + Platz-Max® ROII FF with farmflex roller Ø 310 mm		
	1,35 m 1,60 m 1,80 m	15.850,00 € 16.100,00 € 16.600,00 €
		
	freight charges	by request

product	volume	net price	
<p>Rain-Modul for Platz-Max-Roll</p> <ul style="list-style-type: none"> · mobile irrigation for stables tractors · at least 25 kW necessary · drive about oil engine · diaphragm kolbran pump · mechanical section closing · incl. pumps · incl. nozzle line <p>without Platz-Max-Roll</p>	600 L	4.700,00 €	
<p>Rain-Modul Pritsche for Platz-Max-Roll</p> <ul style="list-style-type: none"> · mobile irrigation: on all-wheel flatbed vehicles e.g. Kawasaki Mule, John Deere HPX Gator · Drive via Honda gasoline-powered water pump · mechanical section closing · incl. pumps · incl. nozzle line <p>without Planer-Roll</p>	600 L	4.300,00 €	
<p>Platz-Max Rain system complete</p> <ul style="list-style-type: none"> · for pickup trucks, unimog, vehicle of fendt etc. · incl. pumps · incl. nozzle line <p>without Platz-Max-NL</p>	800 L	4.900,00 €	
<p>Rain-Modul for riding arena drag <i>Please ask us if your tractor is suited for the module:</i> <i>Delivery of the trail is necessary!</i></p>			
<p>alteration at scuttlebutt 3000 – 7000 l</p> <ul style="list-style-type: none"> · at the existing butt-trailer will be attached a rear hydraulic for Platz-Max to maintain riding areas · the water irrigation comes through the 3 nozzle lines (system of Platz-Max-Rain) · incl. pumps · incl. nozzle line <p>without Platz-Max-NL</p>		6.400,00 €	
 <p>freight charges</p>		by request	

product	net price
<p>Platz-Max®-Roll</p> <p>Add-on kit</p> <ul style="list-style-type: none"> · hydraulic adjustment of chassis by hydraulic pump · manual for lawn tractor, cars, quads, etc. · 3-way valve additionally · for use on machines with their own hydraulics · for use on machines without their own hydraulics <p><i>Hand pump precondition</i></p>	<p>300,00€</p> <p>180,00€</p> 
<p>Platz-Max®-Standard coupling triangle-NL</p> <ul style="list-style-type: none"> · at the implement, to take it quickly up 	<p>250,00€</p> 
<p>Platz-Max®-Standard swivel and trailing mechanism</p> <p>long (old edition) *only as spare part</p> <p>short (new edition)</p>	<p>1.100,00€</p> <p>1.350,00€</p> 
<p>Platz-Max®-Rain coupling triangle-Rain</p> <ul style="list-style-type: none"> · at the implement, to take it quickly up 	<p>350,00€</p> 
<p>Platz-Max®-Rain induction pipe</p> <ul style="list-style-type: none"> · to inject water of brooks and ponds · with filter · holder and switch leveller 	<p>180,00€</p> 
<p>Platz-Max®-Rain elongation of lower steering</p> <ul style="list-style-type: none"> · for tractor's cabin (attention to the lifting force of the tractor) 	<p>210,00€</p> 
<p>Platz-Max® additional charge for</p> <ul style="list-style-type: none"> · special color or galvanized frame of arena leveller (RAL) 	<p>180,00€</p> 

product	width	net price
tilling roller Ø 280 mm <ul style="list-style-type: none"> · in rectangular frame · exchangeable without tools on the machine, if two options are desired · incl. fitting 	1,35 m 1,60 m 2,20 m 2,70 m	650,00 € 750,00 € 1.300,00 € 1.550,00 €
lattice roller Ø 345 mm <ul style="list-style-type: none"> · in rectangular frame · exchangeable without tools on the machine, if two options are desired · incl. fitting 	1,35 m 1,60 m 1,80 m 2,20 m 2,50 m 2,70 m	1.600,00 € 1.700,00 € 1.800,00 € 2.300,00 € 2.600,00 € 2.850,00 €
<ul style="list-style-type: none"> · centrally divided, 4 bearings 	2,40 m 2,80 m	2.950,00 € 3.200,00 €
farmflex roller Ø 310 mm <ul style="list-style-type: none"> · in rectangular frame · exchangeable without tools on the machine, if two options are desired · incl. fitting 	1,35 m 1,60 m 1,80 m 2,20 m 2,50 m	1.800,00 € 2.050,00 € 2.300,00 € 2.500,00 € 2.650,00 €



product	width	net price
skimmer <ul style="list-style-type: none"> · attachment without tools · to loosen extrem hardened grounds · glvanized <p>attention: Damage of the substructure is possible! the working breadth of the skimmer is smaller!</p>	1,35 m 1,60 m 1,80 m 2,20 m 2,50 m 2,70 m	400,00 € 460,00 € 530,00 € 630,00 € 695,00 € 800,00 €
volcanic shovel left or right <ul style="list-style-type: none"> · extended hoofbeat scraper with vulkolan bar instead of coulter · only the ledge, without coulter <p>Also - for hanging kickboards</p>		310,00 €



product	width	net price
paddock float Roll <ul style="list-style-type: none"> · hydraulic adjustment of the chassis via hand pump · manual lifting for small tractors, cars, quads etc. 	2,00 m	1.650,00 €





Most experience -
the widest range.



www.platz-max.com

Rampelmann & Spliethoff GmbH & Co. KG
Greffener Straße 11
48361 Beelen

Fon: +49 (0) 25 86 / 93 04 - 0
Fax: +49 (0) 25 86 / 93 04 - 30
E-Mail: info@rasplie.de

